FLOS

F6257046 Aluminized Bronze

KTribe Suspension 2

Designed by Philippe Starck, 2005




Halogen - 150W

Suspension lamp providing diffused light. PC (polycarbonate) inner diffuser, with opal white finish. Outer diffusers in transparent or fumèe PMMA (polymethylmethacrylate), and silver or bronze on the inner surface, by vacuum aluminum coating. Three stainless steel cables, length 4000 mm for suspension of the diffuser assembly. White ceiling rose.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

EAN	8059607021446
Mounting	Suspension
Environments	Indoor dry location
Light source type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS
Number of lamps	1
Power (W)	150

Physical

Colour	Aluminized Bronze
Length (mm)	395
Cord colour	Clear
Cord length (mm)	2700
Canopy colour	White
Canopy length/diameter (mm)	114
Canopy height (mm)	19
Net weight (kg)	2.45
Package height (mm)	420
Package width (mm)	480
Package length (mm)	480
Package volume (m3)	0.1
IP internal	20

Download

Mounting instructions PDF

Photometric Files

LDT / IES LDT

Technical Drawings


2D ZIP

3D ZIP

©2022 Flos - P.IVA 00290820174 - 12/3/2025

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Schematic light drawing



Luminous flux luminaire
2377 lm

Beam Angle: 85°

h(m)	E(lx)	D(m)
1	152	1.83
2	38	3.66
3	17	5.49
4	9	7.31
5	6	9.14

Photometric

Light distribution	Asymmetric
Extreme cut off	No


Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

©2022 Flos - P.IVA 00290820174 - 12/3/2025

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.


Bulbs



NOT INCLUDED

RF30429

LED Opal Lamp E27 21W 2700K
A65 Dimmable



NOT INCLUDED


RF26998

LED 21W E27 2450lm 3000K
DIMMER

©2022 Flos - P.IVA 00290820174 - 12/3/2025

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.

Spare Parts



01.	Ktribe Suspension 2/ Suspension 3 ceiling rose assembly	RF6257001
02.	5 meter sil/fep 2x0,75 transparent electrical cable	RF4190200
03.	Steel cable packed 3 pieces mt. 3	RF29875
04.	Ktribe Suspension 2 Wiring assembly and external diffuser with support	RF6257003
05.	Ktribe Suspension 2 calibre internal diffuser	RF19802

©2022 Flos - P.IVA 00290820174 - 12/3/2025

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.



RF6257001

Ktribe Suspension 2/ Suspension 3 ceiling rose assembly



RF4190200

5 meter sil/fep 2x0,75 transparent electrical cable



RF29875

Steel cable packed 3 pieces mt. 3



RF6257003

Ktribe Suspension 2 Wiring assembly and external diffuser with support

RF19802

Ktribe Suspension 2 calibre internal diffuser

©2022 Flos - P.IVA 00290820174 - 12/3/2025

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order t improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.