Fly so

Massimiliano Raggi



SO



LINEAR MULTIPLE

Dalla forza espressiva decisa, il suo segno grafico diventa una scultura che illumina e delizia. Fly è una lampada versatile che può essere utilizzata in diversi ambienti della casa, oppure in ambito commerciale e hospitality. Il profilo luminoso di Fly so, è delicatamente ombreggiato da un diffusore tessile in cotone bianco o tessuto effetto marmo Calacatta. Nella versione a sospensione Fly Linear viene fornita senza accessori e prevede una doppia emissione luminosa (sopra e sotto). La versione a sospensione Fly Multiple permette di orientare e posizionare i bracci per creare diverse composizioni, e prevede una doppia emissione luminosa (sopra e sotto) sia per luce diretta che d'ambiente.

A decisive statement, this lighting bar emits a line of brightness that illuminates and delights. Fly is a versatile lamp that can be used in different rooms of the house, or in the commercial and hospitality sectors. Fly so's light bar, is delicately shaded by a textile diffuser in either white cotton or Calacatta marble-effect fabric. In the Fly Linear suspension version, it is supplied without accessories and provides double light emission (above and below). The Fly Multiple suspension version allows you to orient and position the arms to create different compositions, and provides double light emission (above and below) for both direct and ambient lighting.

SPECIFICHE PRODOTTO / PRODUCT SPECIFICS p.2

FLY SO L.120 p.4
FLY SO L.120 LINEAR p.5
FLY SO L.170 p.6
FLY SO L.170 LINEAR p.7
FLY SO MULTIPLE p.8

STRUTTURA / *FRAME*


Nickel dorato satinato
Satin golden nickel finish


Bronzo-nickel spazzolato
Brushed bronze-nickel


Antracite
Anthracite

FLY SO ACCESSORIO VELA / *VELA ACCESSORY FLY SO*

Cotone bianco 800
White cotton 800


Tessuto effetto marmo bianco Calacatta
White Calacatta marble printed fabric

FONTE LUMINOSA / *LIGHT SOURCE*

220-240V



Strip LED

SO L.120 / L.120 LINEAR
DOPPIA EMISSIONE / *DOUBLE EMISSION*

Superiore / *Upper*:
1 x 23W
Strip LED
2.700 K; CRI: >90
IP20

Inferiore / *Lower*:
1 x 17W
Strip LED
2.700 K; CRI: >90
IP20

SO L.170 / L.170 LINEAR
DOPPIA EMISSIONE / *DOUBLE EMISSION*

Superiore / *Upper*:
1 x 33W
Strip LED
2.700 K; CRI: >90
IP20

Inferiore / *Lower*:
1 x 24W
Strip LED
2.700 K; CRI: >90
IP20

SO MULTIPLE
1 x 42W
Strip LED
2.700 K; CRI: >90
IP20

Inferiore / *Lower*:
1 x 90W
Strip LED
2.700 K; CRI: >90
IP20

SO
Dimmerazione a taglio di fase/Triac - altri sistemi di dimmerazione (DALI e 1-10V) disponibili su richiesta
Phase cut/Triac dimming - alternative dimming systems (DALI and 1-10V) available on demand

CE

110V



Strip LED

SO L.120 / L.120 LINEAR
DOUBLE EMISSION

Upper:
1 x 23W
Strip LED
2.700 K; CRI: >90
IP20

Lower:
1 x 17W
Strip LED
2.700 K; CRI: >90
IP20

SO L.170 / L.170 LINEAR
DOUBLE EMISSION


Upper:
1 x 33W
Strip LED
2.700 K; CRI: >90
IP20


Lower:
1 x 24W
Strip LED
2.700 K; CRI: >90
IP20


SO MULTIPLE
1 x 42W
Strip LED
2.700 K; CRI: >90
IP20


Lower:
1 x 90W
Strip LED
2.700 K; CRI: >90
IP20


SO
Phase cut/Triac dimming - 1-10V dimming systems available on demand



1168mm
[45,98in]
156mm
[6,14in]
220mm
[8,66in]
45mm
[1,77in]
80mm
[3,15in]
2000mm
[78,74in] ADJUSTABLE
188mm
[7,39in]
50mm
[1,96in]
105mm
[4,11in]
14mm
[0,55in]
1183mm
[46,57in]






1183mm
[46,57in]
250mm
[9,84in]
48mm
[1,89in]
80mm
[3,15in]
2000mm
[78,74in] ADJUSTABLE
65mm
[2,56in]
65mm
[2,56in]
15mm
[0,59in]






1668mm
[65,67in]
156mm
[6,14in]
220mm
[8,66in]
45mm
[1,77in]
80mm
[3,15in]
2000mm
[78,74in] ADJUSTABLE
160mm
[6,28in]
50mm
[1,96in]
105mm
[4,11in]
1683mm
[66,25in]
14mm
[0,55in]






1683mm
[66,25in]
250mm
[9,84in]
80mm
[3,15in]
48mm
[1,89in]
2000mm
[78,74in] ADJUSTABLE
65mm
[2,54in]
65mm
[2,56in]
15mm
[0,59in]




1498mm
[58,98in]
340°
1498mm
[58,98in]
250mm
[9,84in]
80mm
[3,15in]
340°
1498mm
[58,98in]
15mm
[0,59in]
48mm
[1,89in]
2000mm
[78,74in] ADJUSTABLE
26mm
[1,02in]
50mm
[1,95in]







Copyright and/or design rights subsist in this drawing. No part of this drawing may be reproduced in any material form (including photocopying or storing in any medium electronic means,
whether or not intentionally and whether or not as part or a larger publication) without the express permission of the copyright owner, Contardi Lighting S.r.l.. Further and without prejudice to the
above, this drawing and all information relating thereto is confidential, and shall not be communicated to a third party without the consent of Contardi lighting srl. Contardi lighting srl asserts
all rights to be identified as the author of the work and otherwise.

WARNING: The doing of any unauthorised act in relation to a copyright work may result in both a civil claim for damages and criminal prosecution.

CONTARDI LIGHTING Srl
ITALY HEADQUARTERS
contardi-italia.com / sales@contardi-italia.it

CONTARDI USA Inc
USA BRANCH
contardi-usa.com / office@contardi-usa.com

contardi