

## NR2


BERTJAN POT




An elegant, bright, lighthearted bubble is dressed in a fine web of white or black thread that shines and glimmers in the light. Thanks to an integrated LED lamp, this new creation by Bertjan Pot subtly diffuses its soft, magic glow around the room.

---

### *Colours*



Black



White

---

NR2

### Dimensions

55cm | 21.7"



40cm | 15.7"

### Product

**WIDTH** 55cm | 21.7"  
**HEIGHT** 40cm | 15.7"  
**DEPTH** 55cm | 21.7"  
**DIAMETER** 55cm | 21.7"

### Packaging

**WIDTH** 57cm | 22.4"  
**HEIGHT** 52cm | 20.5"  
**CUBAGE** 0.17m<sup>3</sup> | 5.97ft<sup>3</sup>  
**LENGTH** 57cm | 22.4"  
**WEIGHT** 3.7cm | 8.16lbs

### Technical CE

**MATERIAL**  
ABS Plastic covers, aluminum heatsink and polyester coated fiberglass wire on a steel stand

<b>ENERGY LABEL</b> Energy Label B	<b>LIGHTSOURCE TYPE</b> LED
<b>LIGHTSOURCE INCLUDED</b> Yes	<b>NUMBER OF LIGHTSOURCES</b> 1
<b>INPUT VOLTAGE</b> 208-277	<b>FREQUENCY</b> 50/60
<b>MAX POWER CONSUMPTION</b> 12W	<b>DIMMABLE</b> Yes
<b>COLOUR</b> Black	<b>CABLE LENGTH</b> 400cm   157.5"
<b>CANOPY</b> NR2 Canopy Black	<b>COLOUR TEMPERATUE</b> 2700 K
<b>CRI</b> 82	<b>LIGHT OUTPUT</b> 450 lm

### Technical cULus

**MATERIAL**  
ABS Plastic covers, aluminum heatsink and polyester coated fiberglass wire on a steel stand

<b>ENERGY LABEL</b> Energy Label B	<b>LIGHTSOURCE TYPE</b> LED
<b>LIGHTSOURCE INCLUDED</b> Yes	<b>NUMBER OF LIGHTSOURCES</b> 1
<b>INPUT VOLTAGE</b> 120	<b>FREQUENCY</b> 50/60

**MAX POWER CONSUMPTION**

12W

**COLOUR**

Black

**CANOPY**

NR2 Canopy Black

**CRI**

82

**DIMMABLE**

Yes

**CABLE LENGTH**

400cm | 157.5"

**COLOUR TEMPERATURE**

2700 K

**LIGHT OUTPUT**

450 lm

---

## *Dimmer*

For fluent dimming behaviour we advise a dimmer that is compatible with the following specs.

Please note the functioning of the dimmer and the power supply combination can never be predicted, it always needs to be tested in practice.

**DIMMER TYPE**

Trailing edge / Reverse phase

**LOAD TYPE**

Capacitive load (C-Type)

---