

IN THE WIND FLOOR

Arihiro Miyake

Floor lamp for a warm and widespread LED lighting. The structure is manufactured through a technology of torsion and misalignment of the aluminium extruded bar, expressly studied by Nemo. It allows a 360° LED emission. Terminal parts are in die-casted aluminium. Diffusers are in opal metacrylate. The lamps are available in matt white, matt black, titan grey and matt gold. For the floor version, switch and dimmer on the cable.



LED 3000K

LAMPING

Source	linear LED
Total power	58W
Emission	diffused, 360°
Switching	dimmable
Tension	110/240V
Color temperature	3000K
Luminous flux	2850lm (luminous output)
Typ cri	85
Energy class	A+
Ip class	20
Materials	aluminium + PC
Notes	cable lenght 2m, dimmer on cable, patent pending
Net lamp weight	3 kg

Codes


ITW LWW 21
ITW LNW 21
ITW LGW 21
ITW LDW 21

Structure/Diffuser

white/white
black/white
gold/white
titan grey/white

PACKAGE

Package 01	Dimension: 30x32x12 cm / Gross weight: 6 kg
Package 02	Dimension: 28x28x195 cm / Gross weight: 5,5 kg



LED 2700K

LAMPING

Source	linear LED
Total power	58W
Emission	diffused, 360°
Switching	dimmable
Tension	110/240V
Color temperature	2700K
Luminous flux	2850lm (luminous output)
Typ cri	85
Energy class	A+
Ip class	20
Materials	aluminium + PC
Notes	cable lenght 2m, dimmer on cable, patent pending
Net lamp weight	3 kg

Codes

ITW LWW 22
ITW LNW 22
ITW LGW 22
ITW LDW 22

Structure/Diffuser

white/white
black/white
gold/white
titan grey/white

PACKAGE

Package 01	Dimension: 30x32x12 cm / Gross weight: 6 kg
Package 02	Dimension: 28x28x195 cm / Gross weight: 5,5 kg

